

Dealer Price List 2007 - 180mm, X-Band IMO RADARS (25kW)

Product Description	Product Code	Q'ty	List Price
---------------------	--------------	------	------------

IMO/R&TTE X-BAND RADAR (180mm)



Model: JMA-5200 Series with ATA



Model: JMA-5220-7

General Specification :

15" TFT LCD Color Monitor
25kW, 7ft Scanner, 30 Target ATA



Processing Unit

JMA-5220-7 1 set

Model: JMA-5220-9

General Specification :

15" TFT LCD Color Monitor
25kW, 9ft Scanner, 30 Target ATA

JMA-5220-9 1 set

1 Set consists of:

25 kW, 7ft Scanner (JMA-5220-7)		NKE-2252-7	(1)
OR			
25 kW, 9ft Scanner (JMA-5220-9)		NKE-2252-9	(1)
20m Scanner Cable	20m (65.5') Cable	CFQ-6912-20	(1)
Control Unit		NCM-799	(1)
- Processing Unit		- NDC-1340	
- Keyboard	With 5m (16.4') Cable	- NCE-7699	
- Processor Power Cable	With 5m (16.4') Cable	- CFQ-6911-5	
15" TFT LCD Monitor Unit	Including Bracket	NWZ-164	(1)
Performance Monitor, X-Band		NJU-64	(1)
30 Target ATA		NCA-877	(1)
AIS Interface Unit		NQA-4250	(1)
NSK Unit	Gyro/Log Interface, with CFQ-6998 Cable, 1m (3.28')	NCT-4106	(1)
Standard Spare Parts	For Control Unit	7ZXR0024	(1)
Standard Spare Parts	For Scanner	7ZXR00xx	(1)
Instruction Manual (English)		7ZPRD0652	(1)

Dealer Price List 2007 - 180mm, X-Band IMO RADARS (25kW)

Product Description	Product Code	Q'ty	List Price
<i>Options - IMO X-Band Radar JMA-5200 Series :</i>			
Slave Monitor	15" TFT LCD Monitor	NWZ-164	1
Monitor Mounting Kit		MPBX42944	1
Sun Visor	Horizontal	MPOL30369	1
Interconnection Cable	For Sub Monitor Processor	CFQ-5350	1
Plotter Unit		NDB-34	1
Scanner Cable	30m (98.4'), 19-core composite	CFQ-6912-30	1
Scanner Cable	40m (131.2'), 19-core composite	CFQ-6912-40	1
Scanner Cable	50m (164'), 19-core composite	CFQ-6912-50	1
Scanner Cable	65m (213.2'), 19-core composite	CFQ-6912-65	1
AC Rectifier Unit	110/220 VAC	NBA-3308	1
Simple Interswitch Cable	5m (16.4') Cable	CFQ-5251	1
Interswitch Unit	Max 4 Radars	NQE-3141-4	1
2 nd Station Keyboard		NCE-7699	1
Processor Interconnect Cable	For Simple ISW & 2 nd Keyboard	CFQ-5351	1
Keyboard Extension Cable	10m (32.8') Cable, (2 Max.)	CFQ-6999	1
Multi NMEA Cable	10m (32.8') Cable	CFQ-6560	1
Multi NMEA Cable	Processor Interconnection Cable	CFQ-5352	1
Video Buffer Circuit	For VDR	CAD-249	1
Interface Cable		CFQ-8914	1
VDR I/F Kit	Including BNC Connector	CQD-1891	1
DC Power Control Unit	For Antenna Cable Extention	NQE-3167	1
Simulator	Including CFQ-7082 Cable	NDW-51	1
Simulator Cable		CFQ-7082	1
Instruction Manual (English)		7ZPRD0597	1
Installation Manual (English)		7ZPRD0616	1

Power Requirements:

21.6 to 31.2 VDC

Shipping Weights & Dimensions:

Display	L x W x H	lbs	1
Control Unit	L x W x H	lbs	1
Scanner	L x W x H	lbs	1
Cable/Accessories	L x W x H	lbs	1

Notes:

* If a cable greater than 20m (65.6') is required, add the following amount to the system price:

- For 30m (98.4'), add \$60.00
- For 40m (131.2'), add \$120.00
- For 50m (164'), add \$180.00
- For 65m (213.2'), add \$255.00

Dealer Price List 2007 - 180mm, X-Band IMO RADARS (25kW)

Product Description	Product Code	Q'ty	List Price
---------------------	--------------	------	------------

Certifications:

QinetiQ MED Certificate	QQ-MED-14/06-01		Valid: 23 July 2011
USCG Certificate	165.111/ECO191/1406-01		Valid: 23 July 2011
FCC Certificate	CKE-NKE-2252		
Russian Type Approval	06.02379.011		Valid: 30 June 2008
RTTE Certificate	QQ-RTTE-12/06-01R		Valid: 14 July 2011